

North Eastern Regional Institute of Science and Technology (NERIST)
(Deemed to be University u/s 3 of the UGC Act, 1956)
Under Ministry of Education, Govt. of India
Nirjuli, 791109, Itanagar, Arunachal Pradesh

Sub: Uploading of notification in the Institute Website

Please arrange to upload the Tender Notification vide No. CSE/2026/LPW/SEEDGRANT-I, Dated: 24/03/2026 which is to be upload in the Institute's Website by today itself. Enclosed herewith also Xerox Copy approval.


Assistant Registrar (S&P)

To

The In-Charge, E.T. Cell

UO No CSE/2026/LPW/SEEDGRANT-I

Dated 24/03/2026



**NORTH EASTERN REGIONAL INSTITUTE OF
SCIENCE & TECHNOLOGY
(DEEMED TO BE UNIVERSITY)
NIRJULI: ITANAGAR: ARUNACHAL PRADESH**

**NOTICE INVITING QUOTATION NO. CSE/2026/LPW/SEEDGRANT-I
Dated. 24/03/2026**

| | | |
|------------------------------------|---|-----------------------------------|
| THE LAST DATE OF RECEIPT OF NIQ | : | 30/03/2026 up to 12.00 Noon |
| DATE OF OPENING OF NIQ | : | 30/03/2026 at 4.00 PM |



NORTH EASTERN REGIONAL INSTITUTE OF SCIENCE AND TECHNOLOGY
(Deemed to be University u/s 3 of the UGC Act, 1956)
Under the Ministry of Education, Govt. of India
NIRJULI :: ARUNACHAL PRADESH
Telephone No. (0360) 2257401-11 (Extn. No.7252/7256),
FAX – (0360) 2258533/2257872

NOTICE INVITING QUOTATION NO.
CSE/2026/LPW/SEEDGRANT-I
Dated. 24/03/2026

Scaled Notice Inviting Quotations are invited from reputed manufacturers/authorized dealers for supply, installation, and commissioning of the laboratory items for the Seed Project, under Dr. Lilapati Waikhom, PI (Assistant Professor, Computer Science and Engineering Department). The details of NIQ can be downloaded from our website: www.nerist.ac.in. The last date of receiving NIQ is 30/03/2026 upto 12.00 Noon and the date of opening of NIQ is 30/03/2026 at 4.00 PM. The Director, NERIST reserves the right to accept or reject any NIQ partly or fully without assigning any reasons whatsoever.

Sd/-

Dr. Lilapati Waikhom, PI

Lilapati Waikhom
24/03/26

CONTENT

| Sl. No. | Particulars | Page No. |
|---------|--------------------|----------|
| 1. | Terms & Conditions | 1 - 3 |
| 2. | Equipment / Items | 4 - 5 |

S. D.
24/03/26

**NORTH EASTERN REGIONAL INSTITUTE OF SCIENCE AND TECHNOLOGY
NIRJULI :: (ITANAGAR) :: ARUNACHAL PRADESH**

**NOTICE INVITING QUOTATION NO. CSE/2026/LPW/SEEDGRANT-I
Dated. 24/03/2026**

TERMS AND CONDITIONS :

1. A) Rate: The rate which should be quoted both in figure & words must be not inclusive of packing forwarding freight and all other incidentals charges.
- B) GST: Rate inclusive of GST will not be preferred. GST to be shown separately.
2. A) Consignee: All stores are required to be consigned to the Director, North Eastern Regional Institute of Science & Technology, Itanagar, Nirjuli, Arunachal Pradesh – 791109.
- B) Mode of dispatch: The consignment is required to be dispatched by Road Transport or delivered at this Institute under supplier's own arrangement free of additional charges. All offers of delivery should be made ex-stock and clear note should be inserted in case of damage or loss in transit, if any will be borne by the supplier.
- C) Dispatch of Document: The consignment note along with the quadruplicate of copy of relevant bill and two copies of priced challan should dispatch to the Director, NERIST, Nirjuli (Itanagar), Arunachal Pradesh – 791109 immediately on completion of dispatch of consignment. If these documents do not reach the said office in time all wharf age/demurrage incurred, if any will be recoverable from the suppliers.
3. Delivery: The stores are required to be delivered/dispatched within thirty (30) days from the date of receipt of the supply order OR as per mutual agreement, suppliers are requested to take care that all the items mentioned above are to be supplied in full set basis and the items are required to be installed in the Laboratory/field. Users manuals are also to be provided along with the items supplied.
4. Quality Specification: The stores offered should be of the best/standard quality available unless, otherwise specified conforming strictly to the specification cited. The Director reserves the right to reject such stores as are found unacceptable on these grounds. Items of only reputed manufacturers will be given preference.
6. Submission of quotation: Quotation should be submitted to the Dr. Lilapati Waikhom, Assistant Professor, Computer Science and Engineering Department, NERIST, Itanagar, Nirjuli, Arunachal Pradesh – 791109 in double sealed cover. The cover should bear NIQ enquiry/Notice Number and date.

Contd.....P/2

Lilapati Waikhom
24/03/26

7. **Validity (Firmness):** The rate should be valid for six months from the date of opening of NIQ. No representation for enhancement of price once accepted will be considered during the contract.
8. **Opening of Quotation:** (a) Every quotation will be opened on the date and time as fixed in presence of a duly constituted committee of the Institute. A firm may depute its accredited representative to witness the opening if it so desires.
- (b) In the event of the specified date for the opening of NIQ is declared a holiday or due to any circumstances, if the NIQ could not be opened on the specified date by the NERIST, the NIQ will be opened at the appointed time and location on the next working date.
9. **Mode of payment:** Payment will be made on receipt of the bill (on full satisfactory supply of ordered stores, their commissioning, installation etc. as required as per terms and conditions) through RTGS. No advance payment will be made to any selected firm as per Institute norm.
10. **Quantity of Stores:** Actual quantities of item will be fixed as per our requirement at the time of placement of purchase order.
11. **Special discount/rebate:** Special discount/rebate admissible to Educational Institute of National importance may be specifically indicated in the quotation.
12. **Rejection of offer:** NIQ not conforming to the terms and conditions and procedure so outlined are liable to be rejected summarily.
13. **Guarantee/Warranty:** The stores should be covered by warranty of quality/warranty of performance and manufactures defect for a minimum period of 12 (twelve) months OR as per the norms of the company whichever is higher from the date of satisfactory installation.
14. **Special condition:** Special condition, if any, printed on the quotation sheets of the NIQ or condition attached with the NIQ will not be applicable to the contract unless these are expressly accepted in writing by the Director. Due weight age will be given to bidder offering warranty for a longer period.
15. **ISI Marks:** The NIQ shall specify whether the articles offered bear bureau of Indian standard certification mark or not. In such cases they shall produce copies of certification mark along with their NIQ in support of it. Also specific make and model No. of the item is to be mentioned.
16. **Discretionary power:** The Director, NERIST reserves the right to accept or reject any or all NIQ without assigning any reason there of and also to modify in exceptional case any of the stipulated terms and conditions on merit on genuine and justifying grounds if it is in the larger interest of the Institute. The final acceptance of the NIQ rests entirely with the Director who does not bind himself to accept the lowest NIQ.

Contd..... P/3

S. A. W.
24/03/20

17. Receipt of the NIQ: The last date of receiving NIQ is 30/03/2026 upto 12.00 Noon.
18. Price: Abnormal price OR price higher than prevailing Market Rate / MRP will not be accepted.
19. This is not a turnkey project, so interested bidder can participate for any item or full items. The quantity of the listed items may be increased OR decreased at the time of placing supply order.
20. The following updated documents should also accompany with the NIQ:

- Trade License
- Income Tax clearance certificate
- GST Registration certificate
- Authorization must be from Original Equipment Manufacturer (OEM). The OEM certificate will be cross verified. If found faulty, the firm will be liable to be black listed by the Institute.
- Manufacturer /Proprietary Certificate.
- All the above documents are mandatory.

Sd/-
Dr. Lilapati Waikhom, PI
Assistant Professor
Department of CSE
NERIST, NIRJULI
ARUNACHAL PRADESH

Lilapati Waikhom
24/03/26

List of items:

| Sl. No. | Items | Quantity | Specifications |
|---------|------------------------------|----------|----------------|
| 1 | High Performance Workstation | 01 | Attached below |
| 2 | Monitor | 01 | Do |
| 4 | Air Conditioner | 01 | Do |
| 5 | UPS (Power Backup) | 01 | Do |

Specifications:**1. High Performance Workstation**

| Name of the Item | Specification Dell Pro Max Tower T2 or equivalent |
|--------------------|---|
| Form Factor | Tower |
| Processor | Intel Core Ultra 9, 285K (36 MB cache, 24 cores, 24 threads, 3.2 GHz to 5.7 GHz, 125W) |
| Chipset | Intel® W880 supporting the above processor |
| RAM | 64GB: 2 x 32 GB, DDR5, 5600 MT/s upgradable to 128 GB using 4 DIMM Slots - all slots are on motherboard itself. |
| Hard Disk | 1 x 1 TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED 1 x 2 TB HDD SATA |
| Graphics Card | NVIDIA RTX 4080 (16 GB Graphic) or NVIDIA RTX 2000 Ada, 16 GB GDDR6 |
| Optical Drive | DVD +/- WR Writer |
| WIFI Connectivity | Intel® Wi-Fi 7 BE200, 2x2, 802.11be, MIMO, Bluetooth 5.4 wireless card |
| Slots | 02 Nos M.2 2230/2280 PCIe Gen-4 slots. 01 No M.2 2230/2280 PCIe Gen-5 slot. 01 No full-height Gen5 PCIe x16 slot. 01 No full-height Gen3 x4 PCIe slot. 01 full-height Gen4 x4 PCIe slot. 01 full-height Gen3 x4 PCIe slot. 03 Nos SATA 3.5-inch HDD. 01 Nos SATA ODD. |
| Ports | 1 No Power Button 1 No Global headset jack 2 Nos USB 3.2 Gen 1 (5Gbps) port 1 No USB 3.2 Gen 2 (10Gbps) Type-C 2 No USB 3.2 Gen 2x2 (20Gbps) Type-C with Power Share ports. 2 Nos Display Port 1.4a 1 No Thunderbolt port (optional) 2 Nos USB 2.0 (480Mbps) ports with SmartPower 2 Nos USB 3.2 Gen 2 (10Gbps) 1 No RJ45 Ethernet |
| Keyboard and Mouse | 104 keys USB Keyboard and USB Optical Scroll mouse |
| Audio | High-Definition Integrated Audio with Internal speaker. |
| Power Supply | 1400W (80 Plus Platinum) Power Supply |
| Hardware Security | Kensington security-cable slot Padlock loop Chassis intrusion Switch Trusted Platform Module TPM 2.0 Intel Integrated TPM |
| Operating System | Windows 11 Pro 64 |
| Warranty | 3 Years |

Contd.....P/5

Handwritten signature
24/09/26

2. Monitor

| | |
|------------------|---|
| Overall Specs. | Dell UltraSharp 27 4K Thunderbolt Hub Monitor - U2725QE, latest. In-plane Switching (IPS) Black Technology. 3840 x 2160 resolution @ 120 Hz. Maximum Adjustable Height: 150 mm Pivot Angle: -90° to 90° Swivel Angle: -45° to 45° Tilt Angle: -5° to 21° Horizontal Frequency: 30 kHz to 275 kHz. Pixel Per Inch (PPI)=163 Built-in Devices: Ambient Light Sensor. |
| Ports in Display | 1 Display Port 1.4 port with DSC support (DRR for Microsoft Windows). 1 Display Port 1.4 port out. 1 HDMI port (Supports up to UHD 3840 x 2160 120Hz FRL, VRR as per specified in HDMI2.1). 1 Thunderbolt 4 upstream port (DP1.4 (HDCP 2.2) with DSC support, PD: 140 W EPR , 2/4 Lanes switching) 1 Thunderbolt 4 downstream port (Downstream, Daisy Chain, 15 W) 1 USB-C (USB 10Gbps KVM) upstream port 1 Analog 2.0 audio line out port (3.5 mm jack) 4 USB Type-A ports 10Gbps 1 RJ45 Ethernet port, 2.5GbE |
| Warranty | 3 Years |

3. Air Conditioner

1.5 Ton Inverter AC, 5 Star Rated, Copper Coil, Stabilizer – Free Operation

4. Online UPS (Power Backup)

3 KVA Online UPS with minimum 30 Min Back up
8 x 26 AH SMF Battery.
Battery Bank Voltage: 96 VDC.
3 kVA/3 kW Single Phase Input / Single Phase Output.
True Online double conversion UPS, VFI-SS-111. Designed at Rated PF of 1.
GBT based inverter and rectifier.
Isolation Transformer: UPS should have inbuilt isolation transformer of same OEM, external not allowed.
Input Facility: 1-Phase / 2-Wire & Gnd (Phase & Neutral + Ground).
Input Voltage Range: 186 - 274 VAC (On 100% Load), 110 - 300 VAC (On 50% Load).
Input Power Factor: ≥ 0.99 (with full linear load).
Generator Compatibility: Compatibility to genset supply required
Output Voltage: 230 V (adjustable to 220/230/240 VAC).
Output Frequency: 50 / 60 Hz $\pm 0,1\%$.
Output Wave: Pure sine wave.
Output Voltage Distortion: $<3\%$ Full Linear Load.
 $<5\%$ Full Non-Linear Load.
AC/AC (overall efficiency): $>80\%$ and $<90\%$ with inbuilt isolation transformer.
Over Load Capacity: 60 mins from 105-110%, 10 mins from 111-125%, 1 min from 126-150%.

// END//

Silva
24/09/24