



**NORTH EASTERN REGIONAL INSTITUTE OF
SCIENCE & TECHNOLOGY
(DEEMED TO BE UNIVERSITY)
NIRJULI :: ITANAGAR :: ARUNACHAL PRADESH**

**OPEN TENDER NOTICE NO.
HoD(CE)/Lab_Non-Consumable/2025-26/Phase II
Dated. 20/05/2026
(CIVIL ENGINEERING)**

THE LAST DATE OF RECEIPT OF TENDER	:	10/06/2026 up to 4.00 PM
DATE OF OPENING OF TENDER	:	11/06/2026 at 4.00 PM



NORTH EASTERN REGIONAL INSTITUTE OF SCIENCE AND TECHNOLOGY

NIRJULI :: ARUNACHAL PRADESH

Telephone No. (0360) 2257401-11 (Extn. No.7252/7256),

FAX – (0360) 2258533/2257872

TENDER NOTIFICATION NO.

HoD(CE)/Lab_Non-Consumable/2025-26/Phase II, Dated. 20/05/2026

Sealed tenders are invited from reputed manufacturers/authorized dealers for purchase of Equipment for the Department of Civil Engineering. The details of tender can be downloaded from our website: <https://nerist.ac.in> . Tender fee of Rs.2,500/- (non refundable). The last date of receiving tender is **10/06/2026** upto 4.00 PM and the date of opening of tender is **11/06/2026** at 4.00 PM. The Director, NERIST reserves the right to accept or reject any tender partly or fully without assigning any reasons whatsoever.

Sd/-

Assistant Registrar (S&P)

CONTENT

Sl. No.	Particulars	Page No.
1.	Terms & Conditions	1 – 4
2.	Equipment / Items	5 – 6

// 1 //

**NORTH EASTERN REGIONAL INSTITUTE OF SCIENCE AND TECHNOLOGY
NIRJULI :: (ITANAGAR) :: ARUNACHAL PRADESH**

OPEN TENDER No.

HoD(CE)/Lab_Non-Consumable/2025-26/Phase II, Dated. 20/05/2026

TERMS AND CONDITIONS :

1. A) Rate : The rate which should be quoted both in figure & words must be not inclusive of packing forwarding freight and all other incidentals charges.
- B) GST : Rate inclusive of GST will not be preferred. GST to be shown separately.
2. A) Consignee : All stores are required to be consigned to the Director, North Eastern Regional Institute of Science & Technology, Itanagar, Nirjuli, Arunachal Pradesh – 791109.
- B) Mode of dispatch : The consignment is required to be dispatched by Road Transport or delivered at this Institute under supplier's own arrangement free of additional charges. All offers of delivery should be made ex-stock and clear notes should be inserted in case of damage or loss in transit, if any will be borne by the supplier.
- C) Dispatch of Document: The consignment note along with the quadruplicate of copy of relevant bill and two copies of priced challan should dispatch to the Director, NERIST, Nirjuli (Itanagar), Arunachal Pradesh – 791 109 immediately on completion of dispatch of consignment. If these documents do not reach the said office in time all wharf age/demurrage incurred, if any will be recoverable from the suppliers.
3. Delivery : The stores are required to be delivered/dispatched within thirty days from the date of receipt of the supply order/or as per mutual agreement, suppliers are requested to take care that all the items mentioned above are to be supplied in full set basis and the items are required to be installed in the Laboratory/field. User manuals are also to be provided along with the items supplied.
4. Quality Specification: The stores offered should be of the best/standard quality available unless otherwise specified, conforming strictly to the specification cited. The Director reserves the right to reject such stores as are found unacceptable on these grounds. Items of only reputed manufacturers will be given preference.

Contd.....P/2

5. Liquidated damages : If a firm accepts the order and fails to execute the order in full or part as per terms and conditions stipulated therein, it will be open to the Competent Authority to recover liquidated damaged from the firm at the rate of 1% per month or the part thereof, subject to a maximum of 5% of the value of the undelivered stores. It will also be open to the Competent Authority, alternatively to arrange procurement of the required stores from any source, at the risk and expense of the firm that has accepted the order and failed to execute the order according to stipulations agreed upon. This will also entail removal of the defaulter's name from the approved/registered list of suppliers.
6. A) Submission of quotation: Quotation should be submitted to the Assistant Registrar (S&P), NERIST, Itanagar, Nirjuli, Arunachal Pradesh – 791109 in double sealed cover. The cover should bear tender enquiry/Notice Number and date.
- B) Earnest Money: At the time of submission of Tender, the earnest money in the form of Demand Draft @2% (Refundable) on the quoted tender value is to be deposited with the tender which will be interest free. No Tender will be accepted without earnest money. The earnest money is to be deposited in favour of Director, NERIST on State Bank of India, NERIST Branch. On receipt of supply order, in case the firm fails to supply, the earnest money will be forfeited.
7. Validity (Firmness): The rate should be valid for six months from the date of opening of tender. No representation for enhancement of price once accepted will be considered during the contract.
8. Opening of Quotation: (a) Every quotation will be opened on the date and time as fixed in presence of a duly constituted committee of the Institute. A firm may depute its accredited representative to witness the opening if so desires.
- (b) In the event of the specified date for the opening of Tender is declared a holiday or due to any circumstances, if the Tenders cannot be opened on the specified date by the NERIST, the Tenders will be opened at the appointed time and location on the next working date.
9. GST clearance : The tender should be accompanied by up to date GST Return certificate.

10. Mode of payment : Payment will be made on receipt of the bill (on full satisfactory supply of ordered stores, their commissioning, installation etc. as required as per terms and conditions) through RTGS. No advance payment will be made to any selected firm as per Institute norm.
11. Quantity of Stores : The approximate quantities of item proposed to be purchased as mentioned in the list are liable to be increased or decreased at the time of placement of purchase order.
12. Special discount/rebate: Special discount/rebate admissible to Educational Institute of National importance may be specifically indicated in the quotation.
13. Rejection of offer : Tenders not conforming to the terms and conditions and procedures so outlined are liable to be rejected summarily.
14. Guarantee/Warranty : The stores should be covered by warranty of quality/warranty of performance and manufactures defect for a minimum period of thirty-six months from the date of satisfactory installation.
15. Special condition : Special condition, if any, printed on the quotation sheets of the tenders or condition attached with the tender will not be applicable to the contract unless these are expressly accepted in writing by the Director. Due weight age will be given to bidder offering warranty for a longer period.
16. ISI Marks : The tenders shall specify whether the articles offered bear bureau of Indian standard certification mark or not. In such cases they shall produce copies of certification mark along with their tender in support of it. Also, specific make and model No. of the item is to be mentioned.
17. Discretionary power : The Director, NERIST reserves the right to accept or reject any or all tenders without assigning any reason there of and also to modify in exceptional case any of the stipulated terms and conditions on merit on genuine and justifying grounds if it is in the larger interest of the Institute. The final acceptance of the tender rests entirely with the Director who does not bind himself to accept the lowest tender.
18. Tender fee: Tender fee of Rs.2,500.00 (Rupees two thousand five hundred) only (non refundable) in the form of Demand Draft in favour of Director, NERIST, Payable at SBI, NERIST Branch must be sent along with tenders.

// 4 //

19. Receipt of the tender: The last date of receiving tender is **10/06/2026** upto 4.00 PM.
20. Price: Abnormal price OR price higher than prevailing Market Rate / MRP will not be accepted.
21. This is not a turnkey project, so interested bidder can participate for any one or full items. The quantity of the tendered items may be increased OR decreased at the time of placing supply order.
22. The following updated documents should also be provided with the tenders:
- Trade License
 - Income Tax clearance certificate
 - GST Registration certificate
 - Up to date GST return Certificate.
 - Authorization must be from Original Equipment Manufacturer (OEM). The OEM certificate will be cross verified. If found faulty, the firm will be liable to be black listed by the Institute.
 - Manufacturer /Proprietary Certificate.
 - All the above documents are mandatory.

Sd/-
Assistant Registrar (S&P)
NERIST :: NIRJULI
ARUNACHAL PRADESH

Contd.....P/5

Department of Civil Engineering
(List of Equipment and its specifications)

Sl. No.	Item	Specification	Quantity
1.	DSLR camera maximum 24 mm lens (ultra wide angle lens) with stand and carry case	LCD/LED Display, Optical Sensor Resolution: minimum 24.5 MP, Video Capture Resolution: UHD 4k/30p, Frame rate minimum 24, Bluetooth, Wi-Fi , USB, Minimum 64 GB SD Card, Maximum 24 mm lens (ultra-wide angle lens). Optical Zoom 3X to 5X, Display Size (inch) 3.1 - 3.5, Lens Mounting Detachable, Battery Li-Ion, battery Capacity Minimum 2280 mAh (2 set for each camera). Make: NIKON/Sony OR equivalent	3
2.	Drone Camera	Takeoff Weight <249 g Max Hovering Time 30/39 mins; Max Flight Distance 18/25 km; Max Pitch Angle 35° Max Wind Speed Resistance 10.7 m/s (Level 5); Max Ascent Speed 5 m/s (S Mode) ISO Range 100-6400; Max Descent Speed 5 m/s (S Mode) Max Image Size 8064× x6048; Max Speed 16 m/s (S Mode) Video Resolution 4K/100FPS; Max Takeoff Altitude 4000 m Lens FOV: 82.1° Aperture: f/1.7; Flight Time 30 to 45 mins or more, Sensor 1/1.3-inch CMOS, with 3 batteries	1
3.	Roadometer with Folding Stand and Carry Bag	10km Digital Measuring Wheel, Illuminated LCD With Memory Function, Pistol Style Bi-Material Grip, 30cm/12-inch ABS Wheel Diameter, illuminated digital counter with reset button, accuracy 2cm, Folding Stand and Carry Bag	1
4.	Sound Level Meter, Noise Measure Device	LCD Display for noise measurement of Road Traffic, Material: ABS, sponge Calibration Sound Source: 94dB at 1KHz Measuring Range: 30-130dBA / 35-130dBC, Accuracy: ±1.5dB, Resolution: 0.1dB, Dynamic Range: 50dB / 100dB, Overload Indication: OVER / UNDER, Frequency Weighting: Characteristics A and C, Digital Display: 3 1/2 Digits, Analog Bar Graph: 1dB / 1 Bar Graph, Sampling Rate: 20 Times/Sec, AC Output: 1 Vrms/Full Bar graph, Data Storage Capacity: 15000	1
5.	IS Sieves	(i) 450 mm dia. and 300 mm dia. of one set each made of brass materials of sizes 53 mm, 37.50 mm, 19 mm and 4.75 micron, Lid and Pan. (ii) 300 mm dia. made of brass materials, sizes 600 micron, 300 micron, 75 micron, Lid and Pan.	1
6.	Bitumen Mixture	Mixing capacity minimum 10 L, Temperature of the oil bath 0 to 200 °C, Temperature control accuracy ± 0.5 °C, Rotation speed 75 RPM, capacity minimum 60 kg/hr, bowl material stainless steel, heating jacket must be fitted. The apparatus shall be designed for asphalt mixing and can also be used in mixing lime with pozzolanic materials, and also for uniform mixing of soils etc.	1
7.	Sieve Shaker	Motorized Sieve Shaker for 300 mm dia. and 400 mm dia. Sieves.	1 each

Contd.....P/6

Sl. No.	Item	Specification	Quantity
8.	UCS test Apparatus Digital	Conforms to IS: 2720 (Part-10) and ASTM D2166 / AASHTO T208, consisting of (i) a motorized load frame of minimum 50 kN capacity with uniform strain rate and at least three selectable loading speeds, (ii) a digital load indicator / load cell or calibrated proving ring with accuracy of $\pm 1\%$, (iii) a dial gauge or digital displacement indicator (least count 0.01 mm and minimum travel of 25 mm), (iv) hardened steel compression platens with self-aligning ball seating, and shall be supplied complete with 38 mm \times 76 mm split mould, rubber membrane, and necessary accessories. The equipment shall be supplied with calibration certificate and minimum 12-month warranty. Preferred make: Aimil Ltd. OR equivalent.	1
9.	Automatic CBR test apparatus Digital	Conforms to IS: 2720 (Part-16) and ASTM D1883, consisting of (i) a motorized load frame of 50 kN capacity with constant penetration rate of 1.25 mm/min, (ii) a digital load cell (accuracy $\pm 1\%$), (iii) a digital displacement indicator (least count of 0.01 mm, minimum travel of 25 mm), (iv) CBR mould (150 mm \times 175 mm), 50 mm penetration plunger, surcharge weights, perforated plate, spacer disc, and accessories, (v) calibration certificate and 12-month warranty. Preferred make: Aimil Ltd. OR equivalent.	1
10.	Automatic Direct Shear Test Apparatus Digital	Conforms to IS: 2720 (Part-13) and ASTM D3080, consisting of (i) a motorized loading unit with digital control capable of applying constant rate horizontal shear displacement with selectable shear speeds, (ii) a calibrated load cell with digital display (capacity about 5 kN, accuracy $\pm 1\%$), (iii) digital displacement indicators with least count of 0.01 mm for Horizontal and vertical displacements, (iv) shear box assembly (60 mm \times 60 mm \times 25 mm), grid plates, porous stones, and loading arrangement, with calibration certificate and 12-month warranty. Preferred make: Aimil Ltd. / Lynx Instruments or equivalent.	1
11.	GI pipe threading machine	Sky king industries	1
12.	Manual pipe threader	Hogert technik	1